

Agriculture and Forestry University
Office of the Controller of Examinations

Rampur, Chitwan


Faculty: Agriculture

Reshult Sheet, B.Sc. Ag., 8th Semester

Academic Year : 2070-071

LEE 401, 15(0+15) Learning for Entrepreneurial Experience

| R.N. | Research Report | Proposal and POP (FM=75) | Mid Term Progress Report (FM=110) | SBA (FM=40) | Presentation & LEE Manuscript (FM=80) | Attendance & Dairy (FM=35) | External (FM=35) | Total | % | G | GP | CH | CP | TCH | TCP | OGPA |
|------|--|--------------------------|-----------------------------------|----------------|---------------------------------------|----------------------------|------------------|-------|-------|---|----|----|----|-----|-----|------|
| | | Obtained Marks | Obtained Marks | Obtained Marks | Obtained Marks | Obtained Marks | Obtained Marks | | | | | | | | | |
| 103 | Adoption of Improved Orchard Management Practices of Mandarin in Gorkha | 60 | 95 | 32 | 75 | 32 | 31 | 325 | 86.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 104 | Effect of Intercropping on the Incidence of Jassid (<i>Amrasca biguttula biguttula</i> Ish.) and Whitefly (<i>Bemisia tabaci</i> Guen.) in Okra (<i>Abelmoschus esculentus</i> L. Moench) in Kaski, Nepal | 63 | 98 | 34 | 73 | 35 | 31 | 334 | 89.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 105 | Production Economics of Cauliflower in Ramechhap, Nepal | 71 | 102 | 38 | 74 | 32 | 27 | 344 | 91.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 106 | Farmers' Knowledge on Insect Pest management in Rice Fields of Haripurwa, Sarlahi | 68 | 103 | 35 | 72 | 35 | 25 | 338 | 90.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 107 | Farmer's Knowledge and Perception on Rice Insect Pests and Their Integrated Management in Yasodhara, Kapilvastu | 70 | 102 | 38 | 75 | 35 | 29 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 108 | Effect of Different Chemicals and Their Levels on Sprouting of Potato (<i>Solanum tuberosum</i> L.) Tubers at Rolpa, Nepal | 72 | 108 | 39 | 79 | 34 | 28 | 360 | 96.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 109 | Efficacy of Commercial Insecticides Against Tomato Leaf Miner, <i>Tuta absoluta</i> (Meyrick) Under Farmer's Field Condition In Palpa, Nepal | 73 | 106 | 36 | 75 | 35 | 33 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 110 | Assessment on Production Technology of "Chhadi" Fish in Bara District | 68 | 100 | 35 | 74 | 34 | 31 | 342 | 91.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 111 | A Study on the Production Practices of Potato in Achham District | 68 | 103 | 34 | 76 | 35 | 29 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 112 | Application of Molasses in vegetable Crops in Khotang District | 72 | 107 | 38 | 77 | 35 | 30 | 359 | 95.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 113 | Economics of Production and Marketing of Potato in Bajura District, Nepal | 72 | 109 | 38 | 75 | 34 | 26 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 114 | Evaluation of Promising Potato Clones for Growth, Yield and Processing Traits in Bhaktapur, Nepal | 72 | 108 | 39 | 78 | 35 | 28 | 360 | 96.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 115 | Value Chain Analysis of Ginger in Hilihang Rural Municipality, Panchthar District, Nepal | 73 | 107 | 38 | 76 | 35 | 26 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 116 | Varietal Response of Beans (<i>Phaseolus vulgaris</i>) to Seed Germination and Vigor Characteristics | 69 | 100 | 37 | 73 | 34 | 30 | 343 | 91.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 117 | Adoption of Recommended Production Practices among Rice Growing Farmers in Chitwan District, Nepal | 70 | 105 | 38 | 73 | 35 | 28 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 118 | Value Chain Analysis of Ginger Sub-Sector in Doti District | 68 | 99 | 35 | 72 | 35 | 30 | 339 | 90.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 119 | Comparative Study of Input Use, Productivity and Profitability of Improved and Hybrid Rice in Yasodhara, Kapilvastu | 71 | 105 | 37 | 78 | 35 | 29 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 120 | Effect of Different Cultural and Biological Treatments in Controlling Clubroot Disease in Cabbage in Sidhuwa, Nepal | 64 | 98 | 38 | 77 | 27 | 33 | 337 | 89.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 121 | Assessment on the Mandarin (<i>Citrus reticulata</i> Blanco) Orchard Management and Production Decline in Gorkha | 63 | 96 | 34 | 74 | 33 | 32 | 332 | 88.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 122 | Production and Marketing of Ginger in Salyan, Nepal: An Economic Analysis | 73 | 108 | 40 | 78 | 34 | 32 | 365 | 97.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 123 | Effect of Mulching Materials on Weed Dynamics, Growth and Yield Characters of Cucumber (<i>Cucumis sativus</i> cv. Malini) Under Drip Irrigation Condition in Chitwan, Nepal | 72 | 104 | 36 | 78 | 35 | 31 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 124 | Effect of Different Mulch on Growth and Yield Characteristics of Cauliflower (<i>Brassica oleracea</i> L. var. botrytis CV. Madhuri) Under Field Condition in Gulmi, Nepal | 71 | 105 | 36 | 76 | 32 | 33 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 125 | Assessment of Optimum Nitrogen Level for the Growth and Yield of Early and Late Sown Wheat (<i>Triticum aestivum</i> L.) in Central Terai | 71 | 106 | 39 | 74 | 35 | 29 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 126 | Effect of Priming on Seed Germination and Seedling Establishment of Maize in Okhaldhunga, Nepal | 73 | 105 | 38 | 75 | 35 | 28 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 127 | Assessment of Cultivation Practices and Constraints to Maize Cultivation in Bheri Municipality, Jajarkot | 73 | 106 | 38 | 75 | 34 | 30 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 128 | Farmers Knowledge and Practices on Insect, Pest and Disease Management in Large Cardamom, Panchthar District | 68 | 101 | 33 | 76 | 35 | 32 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |


Controller of Examinations


Examinations Chief


| | | | | | | | | | | | | | | | | |
|-----|--|----|-----|----|----|----|----|-----|-------|---|---|----|----|----|----|------|
| 129 | Knowledge Level Assessment of Farmer Regarding Diseases of Cardamom and Their Preventive Measures in Deumai Municipality, Ilam, Nepal | 70 | 100 | 36 | 70 | 35 | 29 | 340 | 90.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 130 | Value Chain Analysis of Ginger in Udayapur District | 65 | 98 | 34 | 73 | 35 | 31 | 336 | 89.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 131 | Effects of Agricultural Lime on Soil Nutrient Availability in Mango Orchard in Saptari | 70 | 101 | 35 | 72 | 35 | 31 | 344 | 91.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 132 | Value Chain Analysis of Turmeric in Sunsari District, Nepal | 66 | 101 | 37 | 77 | 35 | 33 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 133 | Performance of Wheat Under Different Tillage Practices in Wheat Superzone, Kailali | 72 | 106 | 38 | 75 | 35 | 28 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 135 | Factors Affecting Adoption of Good Agriculture Practices on Mandarin Orange (<i>Citrus reticulata</i> Blanco) Production in Arghakhanchi, Nepal | 71 | 106 | 37 | 76 | 33 | 32 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 136 | Socioeconomic Analysis of Large Cardamom Production and Marketing in <i>Marshyangdi</i> Rural Municipality of Lamjung, Nepal | 72 | 103 | 37 | 73 | 35 | 30 | 350 | 93.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 137 | Determinants of Mandarin Productivity and Causes of Citrus Decline in Parbat District, Nepal | 71 | 107 | 37 | 76 | 35 | 28 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 138 | Economics of Vegetable Seed Production and Marketing in Rukum (West) District, Nepal | 74 | 104 | 40 | 71 | 34 | 34 | 357 | 95.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 139 | Assessment on Mechanization of Rice Cultivation in Jhimruk River Basin Areas of Pyuthan | 68 | 94 | 31 | 70 | 35 | 29 | 327 | 87.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 140 | Socioeconomic Analysis of Spring Maize Production in Banke, Nepal | 65 | 99 | 34 | 67 | 34 | 32 | 331 | 88.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 142 | Adaptation Study of Different Maize Varieties Under Spring Season in Mallikarjun, Darchula | 72 | 102 | 38 | 73 | 34 | 28 | 347 | 92.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 143 | Economics of Production and Marketing of Bean in Bajura District, Nepal | 69 | 102 | 38 | 74 | 34 | 28 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 144 | Production Economics of Carp Polyculture in Morang, Nepal | 70 | 104 | 36 | 75 | 35 | 33 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 145 | Performance of Spring Maize Varieties Grown on Different Sowing Date in Dailekh, Nepal | 73 | 101 | 38 | 68 | 34 | 26 | 340 | 90.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 146 | Assessment of Soil Fertility Status Under Different Types of Mulching Practices on Ginger Cultivation in Bhojpur, Nepal | 74 | 107 | 39 | 76 | 34 | 28 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 147 | Fertilization and Irrigation Practices in Citrus Orchard Adopted by Farmer in Solukhumbu, Nepal | 73 | 106 | 39 | 73 | 35 | 32 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 148 | Effect of Nursery Management on Growth and Health of Boro Rice Seedling at Baniyani, Jhapa | 64 | 96 | 34 | 74 | 35 | 33 | 336 | 89.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 149 | Economics of Potato in Nuwakot District, Nepal | 67 | 96 | 34 | 71 | 33 | 30 | 331 | 88.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 150 | Adoption of Mini Tillers and its Effect among the Potato Farmers of Dadeldhura, Nepal | 68 | 102 | 35 | 75 | 35 | 30 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 151 | Survey and Monitoring of Chinese Citrus Fly (<i>Bactrocera minax</i> Enderlein) in Sweet Orange Orchards of Sindhuli, Nepal | 68 | 98 | 36 | 69 | 35 | 28 | 334 | 89.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 152 | Adoption of Improved Mandarin (<i>Citrus reticulata</i>) Orchard Management Practices in Syangja District, Nepal | 71 | 103 | 34 | 74 | 34 | 27 | 343 | 91.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 153 | Assessment of Insect Pests in Mandarin (<i>Citrus reticulata</i> Blanco) Orchard in Dullu Municipality, Dailekh, Nepal | 73 | 104 | 38 | 70 | 34 | 26 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 154 | Efficacy of Different Selected Insecticides Against Maize Stem Borer (<i>Chilo partellus</i> Swinhoe) in Spring Maize in Makwanpur | 71 | 106 | 38 | 74 | 35 | 29 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 155 | Status of Pesticide Use in Vegetable Farming in Palpa, Nepal | 72 | 106 | 34 | 74 | 35 | 30 | 351 | 93.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 156 | Performance of Wheat Genotypes Under Different Dates of Sowing in Southern Part of Kailali District, Nepal | 73 | 105 | 39 | 76 | 35 | 28 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 157 | Identification of Farmer's Preference and Possibilities in Maize Production in Pmamp (Maize Zone) Banke | 61 | 94 | 29 | 47 | 34 | 28 | 293 | 78.13 | B | 3 | 15 | 45 | 15 | 60 | 4.00 |
| 158 | Economics of Vegetable Seed Production in Arghakhanchi, Nepal | 72 | 106 | 38 | 77 | 32 | 27 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 159 | Adoption of Recommended Production Practices among Rice Growing Farmers of Krishnanagar Municipality, Kapilvastu, Nepal | 71 | 104 | 38 | 77 | 35 | 30 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 160 | Major Problems in Commercialization of Mandarin Orange in Solukhumbu District | 73 | 106 | 39 | 75 | 35 | 32 | 360 | 96.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 161 | Value Chain Analysis of Mandarin Sub-Sector in Solukhumbu, Nepal | 68 | 102 | 35 | 70 | 35 | 30 | 340 | 90.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 162 | Pesticide Handling Practices and Their Impacts on Potato Growers in Kavre | 63 | 97 | 35 | 68 | 34 | 32 | 329 | 87.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 163 | Factors Affecting the Adoption of Information and Communication Technology (ICT) in Agriculture; A Study of Vegetable Block, Neelakantha Municipality, Dhading | 73 | 106 | 38 | 75 | 35 | 31 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 164 | Economics of Chhadi Fish Production in Bara District, Nepal | 67 | 103 | 35 | 74 | 35 | 32 | 346 | 92.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 165 | Effect of Altitude and Fruit Bearing Position on Quality Attributes of Mandarin (<i>Citrus reticulata</i> Blanco) in Kavre, Nepal | 71 | 106 | 37 | 73 | 35 | 31 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 166 | Farmers' Perception on System of Rice Intensification (SRI) in Sindhupalchok District, Nepal | 70 | 101 | 35 | 72 | 35 | 31 | 344 | 91.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 167 | An Assessment on the Status of Fish Farming in Madi Municipality | 71 | 103 | 37 | 76 | 35 | 28 | 350 | 93.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 168 | Economics of Production and Marketing of Banana in Gulariya Municipality, Bardiya | 71 | 99 | 36 | 69 | 33 | 25 | 333 | 88.80 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 169 | Adoption of Farm Mechanization and Factor Affecting on Maize Cultivation in Lamahi, Dang | 72 | 101 | 38 | 68 | 35 | 30 | 344 | 91.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 170 | Assessment of Knowledge and Management Practices of Rhizome Rot of Ginger in Surkhet, Nepal | 74 | 106 | 38 | 77 | 34 | 31 | 360 | 96.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |

| | | | | | | | | | | | | | | | | |
|-----|--|----|-----|----|----|----|----|-----|-------|---|---|----|----|----|----|------|
| 171 | Insect Pest Management Practices in Vegetable Block of Pathivara Yangwarak Rural Municipality, Taplejung | 69 | 95 | 34 | 72 | 34 | 32 | 336 | 89.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 172 | Effect of Different Doses of Nitrogen on Production of Spring Maize (<i>Zea mays L.</i>) in Gulmi, Nepal | 71 | 103 | 36 | 75 | 34 | 33 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 173 | Study on Combination of Vermi-Compost and Chemical Fertilizers (NPK) on Growth and Performance of Cowpea (<i>Vigna unguiculata L.</i>) in Parsa, Nepal | 72 | 105 | 37 | 72 | 35 | 29 | 350 | 93.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 175 | Comparative Study of Soil Fertility Status of Sweet Orange Orchards of 3 VDC's (Tinkanya, Jalkanya and Ratanchura) in Sindhuli District | 69 | 102 | 36 | 74 | 35 | 31 | 347 | 92.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 176 | Performance of Wheat under Various Combinations of Phosphorus Application in Rice-Wheat Cropping System in Gobraila, Kailali | 74 | 106 | 39 | 76 | 35 | 24 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 177 | Assessment of Storage Containers on Seed Quality of Farmers Saved Rice Seed at Rice Zone, Kanchanpur, Nepal | 70 | 101 | 36 | 75 | 35 | 32 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 178 | Influence of Foliar Application of Different Combinations of Zinc, Boron and Iron in Flowering and Fruit Setting of Mandarin Orange (<i>Citrus reticulata</i>) | 67 | 102 | 35 | 76 | 35 | 29 | 344 | 91.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 179 | Fish Production and Marketing System in Dang District of Nepal | 66 | 100 | 34 | 72 | 35 | 31 | 338 | 90.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 181 | Fish Diseases and Health Management Practices in Dhanusha District | 70 | 101 | 35 | 72 | 35 | 32 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 182 | Effect of Seed Priming on Germination, Emergence and Seeding Growth of Spring Rice (<i>Oryza sativa L.</i>) cv. Hardinath-1 | 71 | 104 | 37 | 78 | 35 | 31 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 183 | Socioeconomic Analysis of Potato Production in Changanarayan Municipality, Bhaktapur | 71 | 99 | 36 | 65 | 35 | 30 | 336 | 89.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 184 | Awareness, Perception and Determinants of Olive Farming in Bajura, Nepal | 73 | 107 | 39 | 79 | 34 | 31 | 363 | 96.80 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 185 | Assessment of Tomato Disease Under Plastic House Condition in Pakarabas, Ramechhap, Nepal | 71 | 104 | 38 | 75 | 32 | 28 | 348 | 92.80 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 186 | Value Chain Analysis of Ginger Production in Salyan District, Nepal | 74 | 106 | 40 | 76 | 34 | 28 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 187 | Effect of Different Postharvest Treatments on Prolonging Shelf Life and Maintaining Quality of Mandarin (<i>Citrus reticulata</i> Blanco.) | 70 | 105 | 36 | 76 | 35 | 30 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 189 | Assessment of Soil Nutrients Status of Jahada Rural Municipality Morang as Influenced by Cultivation of Different Vegetables, Morang | 71 | 103 | 36 | 72 | 35 | 28 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 190 | Feed and Feeding Management of Carps and its performance Efficiency under Carp Polyculture System in Rupandehi District, Nepal | 69 | 99 | 36 | 71 | 34 | 32 | 341 | 90.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 191 | Insect Pests Management Practices in Vegetable in Rautahat, Nepal | 70 | 106 | 37 | 73 | 35 | 31 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 192 | Appraisal of Farm Mechanization and Farmer's Field Technology at Lamahi, Dang | 73 | 107 | 38 | 76 | 35 | 33 | 362 | 96.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 193 | Comparative Study on Agronomical Practices and Production Economics of Summer and Winter Maize in Super Zone Area-Dang, Nepal | 71 | 106 | 38 | 78 | 32 | 31 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 194 | Postharvest Management Practices of Ginger in Sankhuwasabha, Nepal | 74 | 105 | 39 | 76 | 34 | 32 | 360 | 96.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 196 | Assessment of Status of Fish Production in Fish Block Rupandehi | 68 | 99 | 36 | 75 | 32 | 32 | 342 | 91.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 197 | Farmers' Perception on Climate Change and Adaptation Strategies in Paddy Production at Sarlahi, Nepal | 68 | 103 | 35 | 75 | 35 | 31 | 347 | 92.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 198 | Financial and Institutional Analysis of Vegetable Cooperatives in Dhading District of Nepal | 72 | 104 | 38 | 72 | 34 | 31 | 351 | 93.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 199 | Influence of Ethephon on Vegetative Character, Flowering Behaviour and Sex Expression of Cucumber in Pokhara Lekhnath, Kaski | 70 | 105 | 38 | 75 | 35 | 28 | 351 | 93.60 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 200 | Effect of Sowing Dates on Yield and Yield Attributing Characteristics of Maize in Gulmi, Nepal | 70 | 104 | 36 | 76 | 33 | 31 | 350 | 93.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 201 | Effect of Auxin and Wounding on Rooting and Vegetative Characteristics of Apple Rootstock Cutting in Jumla, Nepal | 69 | 101 | 37 | 74 | 34 | 30 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 202 | Comparative Economic Analysis of Fish Production in Different Feed Types Practiced in Dhanusha District | 70 | 103 | 36 | 75 | 35 | 26 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 203 | Evaluation of Cucumber (<i>Cucumis sativus L.</i>) Varieties on Growth and Yield Attributes at Nuwakot, Nepal | 70 | 104 | 35 | 77 | 35 | 29 | 350 | 93.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 204 | Economics of Rice Production System in Sarawal, Nawalparasi | 73 | 107 | 38 | 76 | 35 | 32 | 361 | 96.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 205 | Effect of Boron on Growth and Yield Characteristics of Cauliflower (<i>Brassica oleracea</i> var botrytis cv Snow Mystique) in Terhathum | 67 | 99 | 38 | 75 | 34 | 34 | 347 | 92.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 206 | Assessment of Effect and Management Practices of Tomato Leaf Minor (<i>Tuta absoluta</i>) in Nuwakot, Nepal | 70 | 102 | 34 | 72 | 35 | 24 | 337 | 89.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 207 | Production and Marketing Constraints of Soybean in Jajarkot, Nepal | 73 | 105 | 38 | 75 | 35 | 32 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 208 | Effect of Foliar Application of Zinc on Potato (<i>Solanum tuberosum L.</i>) in Bhaktapur, Nepal | 72 | 106 | 38 | 76 | 35 | 28 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 209 | Seed Quality Assessment of Different Varieties of Paddy Collected from Farmers Storage and Research Station | 69 | 98 | 33 | 74 | 35 | 30 | 339 | 90.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 211 | Performance of Potato Varieties on Different Nutrient Combination in Kavre Nepal: An Action Research | 73 | 107 | 38 | 76 | 35 | 29 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 212 | Constraints and Opportunities of Summer Maize Production in Lamahi Municipality, Dang, Nepal | 64 | 94 | 32 | 71 | 35 | 33 | 329 | 87.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 213 | Value Chain Analysis of Cucumber in Arghakhanchi, Nepal | 70 | 108 | 37 | 75 | 35 | 28 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 214 | Performance of Cucumber (<i>Cucumis sativus L.</i>) Varieties Under Open Field Condition at Jethal, Sindhupalchok | 68 | 97 | 36 | 73 | 35 | 32 | 341 | 90.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |

Controller of Examinations

Examinations Chief

| | | | | | | | | | | | | | | | | |
|-----|--|----|-----|----|----|----|----|-----|-------|---|---|----|----|----|----|------|
| 215 | Selection of Maize (<i>Zea mays</i> L.) Variety Through Participatory Varietal Trial in Madichaur, Rolpa | 74 | 105 | 38 | 73 | 35 | 29 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 216 | Evaluation of Soil Nutrients under Different Aged Cardamom-Alder Agroforestry Stands in Bhojpur | 74 | 108 | 39 | 79 | 34 | 28 | 362 | 96.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 217 | Socioeconomic Analysis of Small Scale Fish Farming in Ramgram, Nawalparasi | 70 | 102 | 37 | 72 | 35 | 31 | 347 | 92.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 218 | Management of Clubroot (<i>Plasmodiophora brassicae</i> Wor.) of Cabbage Under Field Condition in Dhankuta, Nepal | 64 | 97 | 38 | 74 | 27 | 31 | 331 | 88.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 219 | A Study on Agricultural Mechanization in Rice Farming in Rajapur, Bardiya | 68 | 108 | 37 | 76 | 35 | 32 | 356 | 94.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 220 | Assessment of Organic Manure and Chemical Fertilizer use in Vegetable Block of Fungling Municipality, Taplejung | 68 | 94 | 34 | 71 | 34 | 31 | 332 | 88.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 221 | Assessment of Causes of Citrus Decline in Dhurkot Rural Municipality of Gulmi | 67 | 99 | 37 | 76 | 34 | 33 | 346 | 92.26 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 222 | Adoption of Recommended Production Practices of Cardinal Variety of Potato among Potato Growing Farmers in Dadelhdhura | 69 | 105 | 36 | 78 | 35 | 32 | 355 | 94.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 223 | Efficacy of Different Mulching Materials on Performance and Yield of Okra in Parsa, Nepal | 71 | 106 | 38 | 72 | 35 | 32 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 224 | Farm Mechanization in Rice Cultivation in Sammarimai VDC, Rupandehi, Nepal | 70 | 103 | 38 | 73 | 34 | 31 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 225 | Evaluation of Different Potato Varieties on Growth and Yield Attributes in Rasuwa, Nepal | 69 | 102 | 34 | 75 | 35 | 23 | 338 | 90.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 226 | Economic Analysis of Tomato Production in Sarada Minicipality, Salyan District | 72 | 105 | 39 | 77 | 32 | 28 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 227 | Economics of Production and Marketing of Cauliflower in Rautahat District | 72 | 106 | 37 | 76 | 35 | 32 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 228 | Effect of Post Harvest Treatments on Shelf Life and Quality Ofacid Lime (<i>Citrus aurantifolia</i>) | 72 | 108 | 38 | 75 | 34 | 26 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 229 | Perception of Rice Growing Farmers on Climate Change and Adaptation Practices in Rajapur, Bardiya | 54 | 98 | 29 | 69 | 34 | 27 | 311 | 82.93 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 230 | Effects of Gibberellic Acid (GA ₃) on Breaking Dormancy in Garlic (<i>Allium sativum</i> L. cv.Chinese) | 72 | 107 | 38 | 76 | 35 | 26 | 354 | 94.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 231 | Evaluation of Recommended OPV and Hybrid Maize Varieties Planted in Spring Season at Dhading | 72 | 107 | 37 | 77 | 35 | 31 | 359 | 95.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 232 | Effect of Nitrogen and Spacing on Growth Parameters and Yield of Okra (<i>Abelmoschus esculentus</i> L. Moench) under Mulched Condition in Chitwan, Nepal | 69 | 102 | 35 | 73 | 35 | 31 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 233 | Effect of Drought Stress on Growth of Maize (<i>Zea mays</i> L.) in Okhaldhunga, Nepal | 73 | 106 | 38 | 76 | 35 | 30 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 234 | Assessment of Soil Nutrient Status and Nutrient Mapping of Paddy Field in Siraha, Nepal | 71 | 96 | 36 | 73 | 35 | 31 | 342 | 91.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 236 | Entrepreneurial Behaviour of Large Cardamom Growers in <i>Marshyangdi</i> Rural Municipality, Lamjung District, Nepal | 71 | 103 | 37 | 76 | 35 | 31 | 353 | 94.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 238 | Effect of Organic and Chemical Fertilizer on Growth and Yield of Potato (<i>Solanum tuberosum</i>) Varieties at Chilime, Rasuwa | 69 | 100 | 35 | 76 | 35 | 24 | 339 | 90.40 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 240 | Economics and Factor Affecting Adoption of Cauliflower Seed Production in Rukum District | 73 | 107 | 39 | 77 | 34 | 28 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 241 | Factors Affecting Ginger Production in Surkhet District | 73 | 106 | 37 | 75 | 34 | 33 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 242 | Farmers' Perception and Awareness on Adoption of Improved Fish Production Technology in Rupandehi, Nepal | 69 | 103 | 36 | 76 | 34 | 34 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 243 | Analysis of Cost of Production and Marketing Channel of Potato in Sayal Rural Municipality of Doti District | 68 | 104 | 34 | 77 | 35 | 30 | 348 | 92.80 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 244 | A Study on Fish Marketing and Supply Chain Analysis in Bharatpur Metropolitan City, Chitwan | 71 | 108 | 38 | 78 | 35 | 27 | 357 | 95.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 245 | Characterization of Rapeseed Farming and it's Production Economics in Hill Area of Dang | 68 | 97 | 38 | 73 | 15 | 29 | 320 | 85.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 246 | Status of Adoption of Improved Rapessed Production Technoligies in Eastern Part of Kailali | 73 | 105 | 39 | 74 | 35 | 23 | 349 | 93.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 247 | Study and Economic Analysis of Carp Fish Production at Different Stocking Densities in Morang, Nepal | 70 | 101 | 37 | 73 | 35 | 29 | 345 | 92.00 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 248 | Efficiency of Pesticides of Natural and Synthetic Origin Against Leaf Eating Caterpillar (<i>Artona chorista</i>) in Large Cardamom in Panchthar District, Nepal | 73 | 108 | 38 | 77 | 35 | 31 | 362 | 96.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 249 | Evaluation of Cauliflower Cultivers for Off-Seasonal Production in Thaha Municipality, Makwanpur | 72 | 106 | 38 | 72 | 35 | 29 | 352 | 93.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 250 | Farmers' Perception on the Performance of Different Varieties of Rice in Banganga Municipality of Kapilvastu District, Nepal | 73 | 107 | 38 | 77 | 35 | 29 | 359 | 95.73 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 251 | Effects of Different Concentrations of Gibberellin on Breaking Dormancy of Different Potato (<i>Solanum tuberosum</i> L.) Varieties at Solukhumbu | 73 | 104 | 39 | 73 | 35 | 33 | 357 | 95.20 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 252 | Effectiveness of Farmers' Training on the Adoption of Improved Mandarin Production Practices in Syangja, Nepal | 68 | 100 | 33 | 70 | 34 | 32 | 337 | 89.86 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 253 | An Assessment of Agronomic Practices of Rice Cultiation in Sukhipur Municipality, Siraha | 70 | 101 | 36 | 72 | 35 | 29 | 343 | 91.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 255 | Adoption of Technology in Large Cardamom Production at Falelung Rural Minicipality, Panchthar | 69 | 98 | 33 | 74 | 35 | 31 | 340 | 90.66 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |


Controller of Examinations



Examinations Chief

| | | | | | | | | | | | | | | | | |
|-----|--|----|-----|----|----|----|----|-----|-------|---|---|----|----|----|----|------|
| 256 | Effect of Pre-Sowing Seed Treatments on Germination of Large Cardamom (<i>Amomum subulatum</i>) in Rolpa | 72 | 108 | 38 | 77 | 35 | 28 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 257 | Effect of Grafting Dates and Wrapping Materials on Grafting Success of Apple (<i>Malus domestica</i> c.v. Royal delicious) in Jumla | 68 | 99 | 37 | 71 | 33 | 30 | 338 | 90.13 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 258 | Production and Marketing Channel of Potato in Udayapur Nepal | 64 | 95 | 33 | 74 | 35 | 33 | 334 | 89.06 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 259 | Economics and Determinants of Carp Polyculture in Morang District of Nepal | 69 | 99 | 36 | 71 | 35 | 25 | 335 | 89.33 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 260 | Production and Marketing of Apple in Bajura District, Nepal | 71 | 106 | 38 | 77 | 34 | 32 | 358 | 95.46 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |
| 261 | Major Pests of Mango and Management Practice at Farmer Level in Saptari District | 68 | 96 | 34 | 70 | 35 | 29 | 332 | 88.53 | A | 4 | 15 | 60 | 15 | 60 | 4.00 |

Withheld Roll Number: 141,180,188,195,210,235,237,239,254



Controller of Examinations



Examinations Chief